

LED TUBE



Specifications

Power Source:	100~277 VAC
Power:	18 watts
Replaces:	(1) 4' 32 watt T8/T12 Fluorescent tube
Power Factor:	> 0.9
Luminous Efficacy:	108 lm/w
Lumens:	2000 lm
CRI:	80+
Operating Temperature:	-30C to 45C
Color Temperature:	4000K and 5000K
Size:	48" x 1.1" x 5.19"
Pin spacing:	0.5"
Weight:	1.5 lb.
Dimmable:	No

Benefits

- Removal of ballast = more energy savings
- Lower maintenance costs due to tube being industrial grade power supply
- Instant "ON" full brightness (including sub-zero temperatures)
- Average lifetime 50,000 hours
- RFI Free

Features

- 5 year warranty
- Quick and easy replacement
- No mercury or glass = environmentally friendly
- Indoor/outdoor enclosed usage (suitable for dry and damp locations)
- Rotating endcap for adjusting light direction
- Frosted lens cover
- Contains an isolated power supply

Applications

- Airports
- Commercial Buildings & Office Spaces
- Hospitals & Medical Facilities
- Residential Spaces
- Retail Spaces
- Schools

Ordering Information

Model:	T8L-YY-LED
Kelvin:	Option of 4000K or 5000K
Length:	4ft.
Voltage:	1 (100~277 VAC)
Wattage:	18 Watts
Lens Cover:	1 (Frosted)
Example:	T8L-YYLED-5000K-4-1-18-1

ALLED Lighting Systems

101 Randolph Street | Ellwood City, PA 16117
724.752.0326 | www.alled.co

Making **Green** Brighter!™

